



Permit Fee: \$100

Wildfire Hazard Mitigation Point System

Please use this document to reference the Wildfire Hazard Mitigation Point System.

You must have a total of 300 points to pass.

Building Size		
Building Size less than 1,300 Square Feet	125	My Points
Building Size 1,300 to less than 2,400 Square Feet	100	
Building Size 2,400 to less than 3,600 Square Feet	50	
Building Size 3,600 Square Feet or more	0	
Road Access		
Primary Road	100	My Points
Secondary County Maintained Roads with full year maintenance	75	
County Maintained - Other	0	
Response Zone		
Response Zone 1 within 5 minutes of manned station	75	My Points
Response Zone 2 within 10 minutes of manned station	50	
Response Zone 3 within 15 minutes of manned station	25	
Not within 15 minutes or less of manned station *Manned station requires 4 on site fire fighters or 12 volunteers	0	
Water Supply		
Pressurized Hydrant within 5 miles	100	My Points
NFPA 1142 Water source within 1,000 feet	100	
NFPA 1142 Water source outside 1,000 feet within subdivision	75	
NFPA 1142 Water source within 5 miles	25	
No NFPA 1142 Water source	0	
Fire-Resistive Construction		
Building of one-hour Fire-resistive throughout	100	My Points
Exterior non-combustible construction	75	
Installation of Class A Roof System	75	
One-hour Fire-resistive exterior	50	
Installation of Gutter Guards	25	
Other Mitigation Options		
Building of one-hour Fire-resistive throughout	100	My Points
Exterior non-combustible construction	75	
Installation of Class A Roof System	75	
One-hour Fire-resistive exterior	50	
Installation of Gutter Guards	25	
Total Points		/300

This if for Applicant Estimation Only.

The County Building Department will provide you with a final copy that a county employee will fill out for you to sign.

If you have questions about if you qualify for a certain field, please call us to discuss.